EDUCATION

TALKTOTWYFORDABOUT COMPLETEWASHROOM ANDWCSOLUTIONS

Call 01270 879777 or email twyford.sales@twyfordbathrooms.com







Registered office: Lawton Road, Alsager, Stoke-on-Trent ST7 2DF, UK T: +44(0) 1270 879777 F: +44(0) 1270 873864

www.twyfordbathrooms.com

Part of the Sanitec Group



TWYFORD BATHROOMS THEEDUCATED CHOICE

From nurseries through to adult education and less abled, Twyford Bathrooms provides the perfect washroom and WC solution for every application. Twyford offer specific designs for each age group and exceptional, market leading products to answer all your needs.

Twyford has been leading the way in washroom innovation for over 150 years. And we're first again in the education sector - introducing the only rimless school pan, and the most water-efficient WC flushing options available.

We take our environmental responsibilities seriously. The education range incorporates water saving innovations, so whatever the budget or application, specifiers can be sure of making the right choice. Our WCs all comply with the water regulations and the range includes 4 litre single flush low water consumption options to comply with BREEAM.

Whatever you're looking for, you'll find it either in the **SpecMaster**[™] **manual** or **www.specmasteronline.com** - with quality guaranteed throughout every product range.

For life in education - trust Twyford every time

Nursery
 College and Universities

• Primary • Less Abled

SecondaryUtilities

IN A CLASS OF ITS OWN

THENEWTWYFORD SOLASCHOOL RIMLESSPANS


Twyford's revolutionary rimless toilet technology is now available for all school age groups.

Sola School is the only rimless school pan range. With no hidden channels and no dirt traps it is ultra hygienic and easy to clean. Sola is also economic and ecologically friendly too - capable of flushing effectively on 4 litres to meet BREEAM specifications.









Available as:

- 300mm pan height for Pre-school and Infants
- 350mm pan height for Infants and Juniors
- Back-to-wall or close coupled options for flexible installation
- White or blue seat options
- Also available Sola Rimless standard height pan in wall hung or back to wall options for BSF

Contents Sola School Rimless pan P3
Sola Rimless WCs P4
Concealed Cisterns P5 Basins P6
Brassware P7 Urinals P8
Solutions P9 Doc.M Rimless Packs P10

For full product specification on Sola School Rimless WCs log on to www.specmasteronline.com

THE SOLARIMLESS WESFAMILY

FLEXIBLE INSTALLATION WITH BACK-TO-WALL, CLOSE COUPLED OR WALL HUNG OPTIONS



- Sola School Rimless (300mm) Back-to-Wall Pan - SA1512WH
 - Ideal for Pre-school and Infants
 - Also available as close coupled
 - Capable of flushing on 4 litres to meet BREEAM specifications
 - Fully shrouded makes it easier to clean
 - Open seat ring SA1304WH or BE
- Sola School Rimless (350mm) Back-to-Wall Pan - SA1514WH
 - Ideal for Infants and Juniors
 - Also available as close coupled
 - Capable of flushing on 4 litres to meet BREEAM specifications
 - Fully shrouded makes it easier to clean
 - Full seat ring SA1306WH or BE

- Sola Rimless Standard Height (400mm) Back-to-Wall Pan - SA1968WH Avalon Rimless (450mm) Back-to-Wall Pan - AV1968WH
 - Perfect for secondary, colleges and universities
 - Avalon designed for less abled use
 - Also available as close coupled
 - Fully shrouded makes it easier to clean
 - Flushes on 4 litres to meet BREEAM specifications
 - Seat ring AV7861WH/BE or GY
 - Seat and cover AV7865WH or BE
- 4. Sola Rimless Wall Hung SA1738WH
 - Fully shrouded makes it easier to clean
 - Flushes on 4 litres to meet BREEAM specifications
 - Seat ring AV7861WH/BE or GY
 - Seat and cover AV7865WH or BE





CONCEALED CISTERNS

WATER SAVING - INCLUDING UK'S FIRST FLUSHWISE® 4/2.6 LITRE CONCEALED CISTERN









Lever, Single Flush

Concealed cistern, complete with fittings, including chrome plated lever and flushbend: SSIO 4 litre - CX9540XX SSIO 4 litre, with delayed action inlet valve - CX9544XX SSIO 6 litre - CX9560XX

- Concealed plastic cistern for front or back wall fixing, reversible for right or left hand operation
- Single flush 4 litre, with an option for a delayed action inlet valve to gain additional BREEAM points
- Single flush 6 litre SSIO

Air Push Button, Single Flush

Concealed cistern, complete with fittings and flushbend (excludes push button): SSIO 4 litre - CX9640XX SSIO 4 litre, with delayed

action inlet valve - CX9644XX SSIO 6 litre - CX9660XX SS Small Button - CF9001SS

 Concealed plastic cistern for front or back wall fixing, with option of delayed action inlet valve

- Single flush 4 litre, with an option for a delayed action inlet valve to gain additional BREEAM points
- Single flush 6 litre

Push Plate, Dual Flush

Concealed cistern, complete with fittings and flushbend (excludes push button): SSIO 4/2.6 litre - CX9642XX SSIO 6/4 litre - CX9664XX CP D/F Mini Plate 80x124mm - CF9012CP CP D/F Plate 150x230mm - CF9022CP

- Concealed plastic cistern for front or back wall fixing
- Dual flush 4/2.6 litre Flushwise®
- Dual flush 6/4 litre
- Range of push buttons to offer a greater choice in specification



BASINS

STYLE, QUALITY - AND FLEXIBILITY









1. Sola Basins (400mm and 500mm)

- 400mm, 1 tap hole \$A4111WH
- 400mm, 2 tap hole \$A4112WH
- 500mm, 1 tap hole \$A4211WH
- 500mm, 2 tap hole \$A4212WH
- Wall bolts (pair) SR1015XX
- Modern design
- Deeper side walls for superior strength
- Enclosed fixings for hygiene

2. Refresh Countertop Basins (550mm)

- 1 tap hole **RE4561WH**
- 2 tap holes RE4562WH
- Modern design

3. Sola Optimise Semi-Recessed Basins (450mm)

- 1 tap hole \$A4621WH
- 2 tap hole \$A4622WH
- Short projection semi-recessed

4. Galerie Semi-Recessed Basins (500mm & 560mm)

- 500mm, 1 tap hole GN4621WH
- 500mm, 2 tap hole GN4622WH
- 560mm, 1 tap hole GN4661WH


• 560mm, 2 tap hole - GN4662WH

BRASSWARE INNOVATION ON TAP













- 1. Sola Infra Red Monobloc Mixer - SF2601CP
 - Water saving 6 litres per min.
 - Battery operated
 - Minimum operating pressure 1.0 bar

2. Sola Thermostatic Monobloc, TMV3 - SF1014CP

- Single lever sequential thermostatic monobloc basin mixer
- Prevents scalding

- 3. Sola Touch Tap - SF2105CP
 - Water saving monobloc 6 litres per min.
 - Battery operated
 - Minimum operating pressure 0.5 bar

4. Sola 1/2" Non-Concussive Tap - SF2104CP

- Single, hot & cold indice SF2101CP
- Pair, hot & cold indice SF2102CP
- Water saving
- · Easy to use for the less-abled

- 5. Sola Temperature Controlled Non-Concussive Tap - SF2104CP
 - Minimum operating pressure 0.5 bar
- 6. Laboratory Swivel High Neck Tap - SF1040XX

URINALSCOMPACT, FLEXIBLE AND HYGIENIC







Clifton Urinal -VC7002WH

- Compact design with deep bowl
- Exposed or concealed cistern and flush pipes
- Wall hangers SR5706XX
- Exposed flushpipes & spreaders, 1-5 persons - \$\$6071\$\$ to \$\$6075\$\$
- Concealed flushpipes & spreaders,
 1-5 persons \$\$6271\$\$ to \$\$6275\$\$
- Auto cistern 4.5L CX8611WH
- Auto cistern 9L CX8612WH

Camden Urinal - VC7003WH

- Shallow open bowl design with water guide channels
- Exposed or concealed cistern and flush pipes
- Exposed flushpipes & spreaders,
 1-5 persons \$\$6071\$\$\$ to \$\$6075\$\$\$
- Concealed flushpipes & spreaders,
 1-5 persons \$\$6271\$\$ to \$\$6275\$\$
- Auto cistern 4.5L CX8611WH
- Auto cistem 9L CX8612WH
- Wall hangers SR5307XX

Spectrum Urinal -VC7004WH

- Vandal resistant
- Designed for panel faced ducts
- Back outlet
- Fully concealed cistern, flush pipes and water pipes
- Wall hangers \$R5706XX
- Concealed flushpipes & spreaders,
 1-5 persons \$\$6271\$\$ to \$\$6275\$\$
- Auto cistern 4.5L CX8611WH
- Auto cistern 9L CX8612WH

SOLUTIONS

FOR EVERY APPLICATION









1. Washing Trough FC2350WH

- 1000 x 390 x 200mm
- Brackets (pair) SR1350XX
- 1/2" bib lever action taps, back inlet (pair) SF2301CP
- ½" bib taps extension tube/wall plate, 150mm projection (pair) **\$F2701CP**
- Multi purpose use

2. Laboratory Sink

- 390 x 255 x 160mm FC1414WH
- 420 x 315 x 160mm FC1415WH
- Waste hole rebated for acid-resistant waste fitting
- Glazed all round and reversible

3. Vecta Stainless Steel Washing Trough

- 1200 x 410mm, 2 person \$\$9312\$\$
- 1800 x 410mm, 3 person \$\$9318\$\$
- Complete with waste & semi-ped

4. Cleaner's Sinks

- 465 x 400mm, sink with grating FC1034WH
- 470 x 400mm, high splash back sink with grating - FC1044WH
- Legs & supports SR3048XX
- Cantilever brackets (pair) SR1331XX

DOC.M RIMLESS PACKS

4 LITRE FLUSH









1. Doc.M Rimless Super Pack

- With white grab rails & seat PK8146WH
- With blue grab rails & seat PK8146BE
- Modern rimless design
- Hygenic and easy to clean
- 4 litre flush
- Integral TMV3 mixer tap
- Concealed rails

2. Doc.M Rimless Ambulant BTW Pack

- With white grab rails & seat PK8148WH
- Modern rimless design
- Hygenic and easy to clean
- 4 litre flush

3. Doc.M Rimless Value Pack

- With white grab rails & seat PK8145WH
- With blue grab rails & seat PK8145BE
- Modern rimless design
- Hygenic and easy to clean
- 4 litre flush
- Spray mixer tap
- TMV3 mixing valve
- Exposed rails

4. Doc.M Shower Pack

- With white grab rails & seat PK7005WH
- With blue grab rails & seat PK7005BE
- TMV3 approved thermostatic shower valve
- · Fixed and moveable shower head

SPECMASTER

SPECIALIST SOLUTIONS FOR SPECIFIERS - IN PRINT AND ONLINE

The Twyford SpecMaster[™] manual simplifies the process of choosing and specifying products for specific applications. Designed in consultation with architects and developed through research with a wide range of clients, it's an essential resource for every specifier.

YOURONLINE SPECIFICATIONTOOL

www.specmasteronline.com

SpecMasteronline makes life even easier by providing a comprehensive range of interactive design tools which produce a complete washroom specification - right down to pricing.



For more information on products for the education sector or to arrange a meeting with your Twyford Area Sales Manager call 01270 871538 or email

twyford.sales@twyfordbathrooms.com